




Security Assessment

Security Policy Assessment

Prepared for: Your Customer / Prospect

Prepared by: Your Company Name

10/27/2016



CONFIDENTIALITY NOTE: The information contained in this report document is for the exclusive use of the client specified above and may contain confidential, privileged and non-disclosable information. If the recipient of this report is not the client or addressee, such recipient is strictly prohibited from reading, photocopying, distributing or otherwise using this report or its contents in any way.

Scan Date: 10/25/2016



Table of Contents

1 - Summary

1.1 - Sampled Systems

2 - Local Security Settings (Sampled Systems)

2.1 - Account Policies

2.1.1 - Password Policy

2.1.2 - Account Lockout Policy


2.2 - Local Policies

2.2.1 - Audit Policy

2.2.2 - User Rights Assignment

2.2.3 - Security Options

1 - Summary



1.1 - Sampled Systems

| IP Addresses | Computer Name | Operating System |
|---|-----------------|-----------------------------------|
| 169.254.7.13, 192.168.6.63 | buildbox | Windows 10 Pro |
| 169.254.24.150, 169.254.58.236, 192.168.6.80 | darkhorse | Windows 10 Pro |
| 169.254.52.150, 192.168.1.23, 192.168.1.4, 192.168.1.3 | DC03 | Windows Server 2012 R2 Datacenter |
| 169.254.93.61, 192.168.6.85 | DESKTOP-N6S4H9A | Windows 10 Pro |
| 169.254.196.228, 169.254.57.9, 192.168.6.109 | Boppenheimer-PC | Windows 10 Pro |
| 169.254.197.112, 192.168.6.12 | Psolidad-PC | Windows 10 Pro |
| 169.254.220.232, 192.168.6.112 | REX | Windows 8.1 Enterprise |
| 169.254.234.237, 169.254.99.161, 169.254.185.30, 192.168.6.108, 192.168.6.105, 192.168.6.100, 192.168.1.104 | HV04 | Windows Server 2012 R2 Datacenter |
| 192.168.1.5, 192.168.6.159 | VPNGW | Windows Server 2012 R2 Standard |
| 192.168.6.5 | CERTEXAM | Windows Server 2012 R2 Standard |
| 192.168.6.9 | HPDT-8CC5260NXY | Windows 10 Pro |



| IP Addresses | Computer Name | Operating System |
|-------------------------------|-----------------|-----------------------------------|
| 192.168.6.14 | Psolidad-WIN764 | Windows 8.1 Enterprise |
| 192.168.6.26 | HPLT-5CD4411D8Z | Windows 10 Pro |
| 192.168.6.30 | Mwest-WIN864 | Windows 8 Enterprise |
| 192.168.6.37 | betty-INSPIRON | Windows 10 Pro |
| 192.168.6.44 | b2b-GW | Windows 7 Enterprise |
| 192.168.6.45 | DESKTOP-UAE29E6 | Windows 10 Pro |
| 192.168.6.52 | WILLARD | Windows 10 Enterprise |
| 192.168.6.56 | CONFERENCE-ROOM | Windows 10 Pro |
| 192.168.6.67 | sourcesvrBUILD | Windows Server 2012 R2 Standard |
| 192.168.6.81 | Lalexander-PC | Windows 10 Pro |
| 192.168.6.125 | WAMPA | Windows 10 Pro |
| 192.168.6.132 | SARLACC | Windows 10 Enterprise |
| 192.168.6.133 | PANOPTICON | Windows 10 Pro |
| 192.168.6.134 | darren-PC | Windows 10 Pro |
| 192.168.6.136 | gordon-LT2 | Windows 7 Professional |
| 192.168.6.142 | QB01 | Windows Server 2008 R2 Enterprise |
| 192.168.6.161 | ROWBOT | Windows 10 Enterprise |
| 192.168.6.165 | IRIDIUM | Windows 10 Pro |
| 192.168.6.195 | tarsis | Windows 10 Pro |
| 192.168.199.34, 192.168.6.120 | PKWIN8-VM | Windows 8.1 Pro |

2 - Local Security Settings (Sampled Systems)

2.1 - Account Policies

2.1.1 - Password Policy

| Policy | Setting | Computers |
|---|-------------------------|--|
| Enforce password history | 0 passwords remembered | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | 24 passwords remembered | DC03 |
| Maximum password age | 42 days | All Sampled |
| Minimum password age | 1 days | All Sampled |
| Minimum password length | 7 characters | All Sampled |
| Password must meet complexity requirements | Enabled | All Sampled |
| Store passwords using reversible encryption | Disabled | All Sampled |

2.1.2 - Account Lockout Policy

| Policy | Setting | Computers |
|--------------------------|----------------|--|
| Account lockout duration | Not Applicable | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, |



| Policy | Setting | Computers |
|-------------------------------------|--------------------------|---|
| | 30 minutes | SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM REX |
| Account lockout threshold | Disabled | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | 5 invalid logon attempts | REX |
| Reset account lockout counter after | Not Applicable | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | 30 minutes | REX |



2.2 - Local Policies

2.2.1 - Audit Policy

| Policy | Setting | Computers |
|--------------------------------|------------------|---|
| Audit account logon events | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Success, Failure | BOPPENHEIMER-PC, PSOLIDAD-PC, B2B-GW |
| Audit account management | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Success | PSOLIDAD-PC |
| Audit directory service access | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |

| Policy | Setting | Computers |
|---------------------|------------------|---|
| | Success | PSOLIDAD-PC |
| Audit logon events | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Success, Failure | BOPPENHEIMER-PC, PSOLIDAD-PC, REX, B2B-GW |
| Audit object access | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Success | PSOLIDAD-PC |
| Audit policy change | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Success | PSOLIDAD-PC |
| Audit privilege use | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP- |

| Policy | Setting | Computers |
|------------------------|-------------|---|
| | | N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Success | PSOLIDAD-PC |
| Audit process tracking | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Failure | PSOLIDAD-PC |
| Audit system events | No auditing | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Failure | PSOLIDAD-PC |

2.2.2 - User Rights Assignment

| Policy | Setting | Computers |
|--------|---------|-----------|
|--------|---------|-----------|

2.2.3 - Security Options

| Policy | Setting | Computers |
|--|---------------|--|
| Accounts: Administrator account status | Disabled | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Enabled | DC03, HV04, VPNGW, CERTEXAM, SOURCESVRBUILD, QB01 |
| Accounts: Block Microsoft accounts | Not Defined | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| Accounts: Guest account status | Disabled | All Sampled |
| Accounts: Limit local account use of blank passwords to console logon only | Enabled | All Sampled |
| Accounts: Rename administrator account | Administrator | All Sampled |
| Accounts: Rename guest account | Guest | All Sampled |
| Audit: Audit the access of global system objects | Disabled | All Sampled |
| Audit: Audit the use of Backup and Restore privilege | Enabled | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, HPLT-5CD4411D8Z, BETTY-INSPIRON, DESKTOP-UAE29E6, LALEXANDER-PC, WAMPA, PANOPTICON, |

| Policy | Setting | Computers |
|--|-------------|---|
| | Disabled | DARREN-PC, IRIDIUM, TARSIS DC03, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, MWEST-WIN864, B2B-GW, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, SARLACC, GORDON-LT2, QB01, ROWBOT, PKWIN8-VM |
| Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings | Not Defined | All Sampled |
| Audit: Shut down system immediately if unable to log security audits | Disabled | All Sampled |
| DCOM: Machine Access Restrictions in Security Descriptor Definition Language (SDDL) syntax | Not Defined | All Sampled |
| DCOM: Machine Launch Restrictions in Security Descriptor Definition Language (SDDL) syntax | Not Defined | All Sampled |
| Devices: Allow undock without having to log on | Enabled | All Sampled |
| Devices: Allowed to format and eject removable media | Not Defined | All Sampled |
| Devices: Prevent accts from installing printer drivers | Disabled | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Enabled | DC03, HV04, VPNGW, CERTEXAM, SOURCESVRBUILD, QB01 |
| Devices: Restrict CD-ROM access to locally logged-on acct only | Not Defined | All Sampled |
| Devices: Restrict floppy access to locally | Not Defined | All Sampled |



| Policy | Setting | Computers |
|--|-------------|--|
| logged-on acct only | | |
| Domain controller: Allow server operators to timing tasks | Not Defined | All Sampled |
| Domain controller: LDAP server signing requirements | Not Defined | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | None | DC03 |
| Domain controller: Refuse machine account password changes | Not Defined | All Sampled |
| Domain member: Digitally encrypt or sign secure channel data (always) | Enabled | All Sampled |
| Domain member: Digitally encrypt secure channel data (when possible) | Enabled | All Sampled |
| Domain member: Digitally sign secure channel data (when possible) | Enabled | All Sampled |
| Domain member: Disable machine account password changes | Disabled | All Sampled |
| Domain member: Maximum machine account password age | 30 days | All Sampled |
| Domain member: Require strong (Windows 2000 or later) session key | Enabled | All Sampled |
| Interactive logon: Display acct information when the session is locked | Not Defined | All Sampled |
| Interactive logon: Do not display last acct name | Disabled | All Sampled |
| Interactive logon: Do not require CTRL+ALT+DEL | Not Defined | BUILDBOX, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HPDT-8CC5260NXY, PSOLIDAD-WIN764, |

| Policy | Setting | Computers |
|--|-------------|--|
| | Enabled | HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, LALEXANDER-PC, SARLACC, DARREN-PC, GORDON-LT2, ROWBOT, IRIDIUM, PKWIN8-VM |
| | Disabled | DARKHORSE, WAMPA, PANOPTICON, TARSIS |
| | Disabled | DC03, HV04, VPNGW, CERTEXAM, SOURCESVRBUILD, QB01 |
| Interactive logon: Machine account lockout threshold | Not Defined | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| Interactive logon: Machine inactivity limit | Not Defined | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, HPDT-8CC5260NXY, HPLT-5CD4411D8Z, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, WAMPA, PANOPTICON, ROWBOT, IRIDIUM, TARSIS |
| | 600 seconds | BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, PSOLIDAD-WIN764, MWEST-WIN864, BETTY-INSPIRON, LALEXANDER-PC, SARLACC, DARREN-PC, PKWIN8-VM |
| Interactive logon: Number of previous logons to cache (in case domain controller is not available) | 10 logons | All Sampled |
| Interactive logon: Prompt acct to change password before expiration | 5 days | All Sampled |
| Interactive logon: Require Domain Controller authentication to unlock workstation | Disabled | All Sampled |



| Policy | Setting | Computers |
|---|-------------|--|
| Interactive logon: Require smart card | Disabled | All Sampled |
| Interactive logon: Smart card removal behavior | No Action | All Sampled |
| Microsoft redi client: Digitally sign communications (always) | Disabled | All Sampled |
| Microsoft redi client: Digitally sign communications (if server agrees) | Enabled | All Sampled |
| Microsoft redi client: Send unencrypted password to third-party SMB servers | Disabled | All Sampled |
| Microsoft redi server: Amount of idle time required before suspending session | Not Defined | BUILDBOX, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HPLT-5CD4411D8Z, BETTY-INSPIRON, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, IRIDIUM, TARSIS |
| | 15 minutes | DARKHORSE, DC03, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, MWEST-WIN864, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, GORDON-LT2, QB01, ROWBOT, PKWIN8-VM |
| Microsoft redi server: Attempt S4U2Self to obtain claim information | Not Defined | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| Microsoft redi server: Digitally sign communications (always) | Disabled | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, |



| Policy | Setting | Computers |
|--|--|--|
| | Enabled | WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM DC03 |
| Microsoft redi server: Digitally sign communications (if client agrees) | Disabled | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Enabled | DC03 |
| Microsoft redi server: Disconnect clients when logon hours expire | Enabled | All Sampled |
| Microsoft redi server: Server SPN target name validation level | Not Defined | All Sampled |
| redi access: Allow anonymous SID/Name translation | Disabled | All Sampled |
| redi access: Do not allow anonymous enumeration of SAM accounts | Enabled | All Sampled |
| redi access: Do not allow anonymous enumeration of SAM accounts and shares | Disabled | All Sampled |
| redi access: Do not allow storage of passwords and credentials for redi authentication | Disabled | All Sampled |
| redi access: Let Everyone permissions apply to anonymous accts | Disabled | All Sampled |
| redi access: Remotely accessible registry paths | System\CurrentControlSet\Control\ProductOptions,System\CurrentControlSet\Control\Server Applications,Software\Microsoft\Windows NT\CurrentVersion | All Sampled |
| redi access: Remotely accessible registry paths and sub-paths | System\CurrentControlSet\Control\Print\Printers,System\CurrentControlSet\Services\Eventlog,Software\Microsoft\OLAP Server,Software\Microsoft\Windows | All Sampled |

| Policy | Setting | Computers |
|---|--|---|
| | NT\CurrentVersion\Print,Software\Microsoft\Windows NT\CurrentVersion\Windows,System\CurrentControlSet\Control\ContentIndex,System\CurrentControlSet\Control\Terminal Server,System\CurrentControlSet\Control\Terminal Server\acctConfig,System\CurrentControlSet\Control\Terminal Server\DefaultacctConfiguration,Software\Microsoft\Windows NT\CurrentVersion\Perflib,System\CurrentControlSet\Services\SysmonLog | |
| redi access: Restrict anonymous access to Named Pipes and Shares | Enabled | All Sampled |
| redi access: Restrict clients allowed to make remote calls to SAM | Not Defined | BUILDBOX, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HPDT-8CC5260NXY, HPLT-5CD4411D8Z, BETTY-INSPIRON, WILLARD, CONFERENCE-ROOM, LALEXANDER-PC, WAMPA, PANOPTICON, DARREN-PC, ROWBOT, IRIDIUM, TARSIS |
| redi access: Shares that can be accessed anonymously | Not Defined | All Sampled |
| redi access: Sharing and security model for local accounts | Classic - local accts authenticate as themselves | All Sampled |
| redi security: Allow Local System to use computer identity for NTLM | Not Defined | All Sampled |
| redi security: Allow LocalSystem NULL session fallback | Not Defined | All Sampled |
| redi security: Configure encryption types allowed for Kerberos | Not Defined | All Sampled |
| redi security: Do not store LAN Manager hash value on next password change | Enabled | All Sampled |
| redi security: Force logoff when logon hours expire | Disabled | All Sampled |
| redi security: LAN Manager authentication level | Not Defined | All Sampled |
| redi security: LDAP client signing requirements | Negotiate signing | All Sampled |
| redi security: Minimum session security for NTLM SSP based (including secure RPC) clients | Require 128-bit encryption | All Sampled |



| Policy | Setting | Computers |
|---|----------------------------|---|
| redi security: Minimum session security for NTLM SSP based (including secure RPC) servers | Require 128-bit encryption | All Sampled |
| redi security: Restrict NTLM: Add remote server exceptions for NTLM authentication | Not Defined | All Sampled |
| redi security: Restrict NTLM: Add server exceptions in this domain | Not Defined | All Sampled |
| redi security: Restrict NTLM: Audit Incoming NTLM Traffic | Not Defined | All Sampled |
| redi security: Restrict NTLM: Audit NTLM authentication in this domain | Not Defined | All Sampled |
| redi security: Restrict NTLM: Incoming NTLM traffic | Not Defined | All Sampled |
| redi security: Restrict NTLM: NTLM authentication in this domain | Not Defined | All Sampled |
| redi security: Restrict NTLM: Outgoing NTLM traffic to remote servers | Not Defined | All Sampled |
| Recovery console: Allow automatic administrative logon | Not Defined | BUILDBOX, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HPLT-5CD4411D8Z, BETTY-INSPIRON, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, IRIDIUM, TARSIS |
| | Disabled | DARKHORSE, DC03, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, MWEST-WIN864, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, GORDON-LT2, QB01, ROWBOT, PKWIN8-VM |
| Recovery console: Allow floppy copy and access to all drives and all folders | Not Defined | BUILDBOX, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HPLT-5CD4411D8Z, BETTY-INSPIRON, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, IRIDIUM, TARSIS |
| | Disabled | DARKHORSE, DC03, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, |



| Policy | Setting | Computers |
|---|-------------|---|
| | | PSOLIDAD-WIN764, MWEST-WIN864, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, GORDON-LT2, QB01, ROWBOT, PKWIN8-VM |
| Shutdown: Allow system to be shut down without having to log on | Enabled | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, REX, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Disabled | DC03, HV04, VPNGW, CERTEXAM, SOURCESVRBUILD, QB01 |
| Shutdown: Clear virtual memory pagefile | Disabled | All Sampled |
| System cryptography: Force strong key protection for acct codes stored on the computer | Not Defined | All Sampled |
| System cryptography: Use FIPS compliant algorithms for encryption, hashing, and signing | Disabled | All Sampled |
| System objects: Require case insensitivity for non-Windows subsystems | Enabled | All Sampled |
| System objects: Strengthen default permissions of itable system objects (e.g. Symbolic Links) | Enabled | All Sampled |
| System settings: Use Certificate Rules on Windows Executables for Software Restriction Policies | Disabled | All Sampled |
| acct Account Control: Admin Approval Mode for the Built-in Administrator account | Not Defined | BUILDBOX, DARKHORSE, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, PSOLIDAD-PC, HPDT-8CC5260NXY, HPLT-5CD4411D8Z, BETTY-INSPIRON, WILLARD, CONFERENCE-ROOM, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, ROWBOT, IRIDIUM, TARSIS |
| | Disabled | DC03, REX, HV04, VPNGW, CERTEXAM, |



| Policy | Setting | Computers |
|--|---|---|
| | | PSOLIDAD-WIN764, MWEST-WIN864, B2B-GW, DESKTOP-UAE29E6, SOURCESVRBUILD, GORDON-LT2, QB01, PKWIN8-VM |
| acct Account Control: Allow UIAccess applications to prompt for elevation without using the secure desktop | Disabled | All Sampled |
| acct Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode | Prompt for consent for non-Windows binaries | BUILDBOX, DARKHORSE, DC03, DESKTOP-N6S4H9A, BOPPENHEIMER-PC, REX, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, MWEST-WIN864, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM |
| | Elevate without prompting | PSOLIDAD-PC |
| acct Account Control: Behavior of the elevation prompt for standard accts | Prompt for credentials | All Sampled |
| acct Account Control: Detect application installations and prompt for elevation | Enabled | All Sampled |
| acct Account Control: Only elevate executables that are signed and validated | Disabled | All Sampled |
| acct Account Control: Only elevate UIAccess applications that are installed in secure locations | Enabled | All Sampled |
| acct Account Control: Run all administrators in Admin Approval Mode | Enabled | All Sampled |
| acct Account Control: Switch to the secure desktop when prompting for elevation | Enabled | BUILDBOX, DARKHORSE, DC03, BOPPENHEIMER-PC, HV04, VPNGW, CERTEXAM, HPDT-8CC5260NXY, PSOLIDAD-WIN764, HPLT-5CD4411D8Z, BETTY-INSPIRON, B2B-GW, DESKTOP-UAE29E6, WILLARD, CONFERENCE-ROOM, SOURCESVRBUILD, LALEXANDER-PC, WAMPA, SARLACC, PANOPTICON, |



| Policy | Setting | Computers |
|--|--|--|
| | Disabled | DARREN-PC, GORDON-LT2, QB01, ROWBOT, IRIDIUM, TARSIS, PKWIN8-VM DESKTOP-N6S4H9A, PSOLIDAD-PC, REX, MWEST-WIN864 |
| acct Account Control: Virtualize file and registry write failures to per-acct locations | Enabled | All Sampled |
| redi access: Named Pipes that can be accessed anonymously | netlogon,samr,lsarpc,HydraLsPipe,TermServLicensing | DC03 |
| System settings: Optional subsystems | Posix (\$build.empty) | PSOLIDAD-PC, REX, HV04, PSOLIDAD-WIN764, MWEST-WIN864, B2B-GW, GORDON-LT2, QB01 SARLACC |
| redi Security: Allow PKU2U authentication requests to this computer to use online identities | Not Defined | B2B-GW, GORDON-LT2, QB01 |